



COMMERCIAL LINEAR GAS FIREPLACE SERIES



UP TO 16 FEET | SINGLE-SIDED | SEE-THROUGH | INDOOR/OUTDOOR



ABOUT ACUCRAFT

For over 35 years, we have mastered the design and manufacturing of custom and certified gas fireplaces that fit seamlessly within any residential or commercial space. Combined with the tallest flames on the market, we push the boundaries to create truly unique products for the most discerning customer. We focus on YOU. We don't offer "offthe-shelf' products; we work with you one-on-one to make your fire dreams a reality. Our Blaze Series of gas fireplaces are made with commercial-grade components and each unit is put through rigorous safety testing within our test lab; ensuring a lifetime of enjoyment and peace of mind. Not only will you receive the highest quality product when you need it, our team also provides you with a world-class customer service experience. We are a team of experts that are passionate about fire and exceeding expectations. We stake our reputation on delivering innovation solutions, revolutionary designs, and lightning-fast response times. And this team is committed to you. Guaranteed.

Happy Burning!

THE ACUCRAFT DIFFERENCE™

Your Fireplace Advisor works directly with you to determine the perfect solution for your space.

Your Project Manager ensures your project meets your exact needs and deadlines. And Your

Service Team supports you from installation and technical questions to future service needs.

Experience The Acucraft Difference™

- Tallest Flames on the Market
- Work One-on-One with Your Personal Fireplace Advisor
- 5 Year Warranty on Acucraft's Ignition System
- Commercial-Grade Quality
- Rigorous Testing Including: Functionality, Safety & ANSI Z21.50, CSA 2.22-2016 with Label
- Popular Customization Options
- Worldwide Shipping
- Designed & Manufactured in Big Lake, Minnesota, USA











TABLE OF CONTENTS

Pre-Installation, Calibration, and Service. Together Forever.

FEATURES & BENEFITS	5
Learn more about the features and benefits of the Blaze fireplace series.	
DIMENSIONS & SPECIFICATIONS	6
Detailed dimensions and specifications of the Blaze 6' - 16'.	
COMPONENT ILLUSTRATION	8
Learn more about the Blaze fireplace system and components.	
MEDIA & FINISHING SELECTIONS	9
Choose your media, frame options, and additional features.	
PAST CLIENTS	0
Read more about past customer experiences when working with Blaze fireplaces and Acucraft.	
ON-SITE SERVICES	[3



BLAZE LINEAR GAS FIREPLACES by Acucraft are designed with commercial-grade components and thick, 7 gauge steel. These fireplaces fit seamlessly in restaurants, hotels, and residential homes. Bring the power of fire to your space and create an atmosphere that is undeniably inviting. Modern, clean, and the tallest flames on the market: create yours today!



SINGLE-SIDED • SEE-THROUGH • INDOOR/OUTDOOR



Viewing Sizes & Styles
Choose Your Viewing Size and
Style to Complement Your Space



Tallest Flames
Guaranteed the Tallest Flames
on the Market



Glass Cooling
Safe-To-Touch Glass Standard
for Commercial Spaces



Media Selection
Media Options to Deliver the
Precise Ambiance You Seek



Frame Finishing Options
Have Your Choice of Frame Finish
to Harmoniously Match Your Space



Fuel Type Options
Option For Natural Gas or
Propane Fuel

Model	Fuel	Viewing Area	Fireplace Dimensions	BTUs	Combustion Air Intake	Glass Cooling Intake	Class A Flue	B-Vent Heat Relief
Blaze6 SS	NG, LP	72"W x 24"H	84"W x 51"H x 22"D	80,000 NG 100,000 LP	8"	8"	8"	8"
Blaze6 ST	NG, LP	72"W x 24"H	84"W x 51"H x 22"D	80,000 NG 100,000 LP	8"	8"	8"	8"
Blaze6 IO*	NG, LP	72"W x 24"H	84"W x 51"H x 22"D	80,000 NG 100,000 LP	8"	8"	8"	8"
Blaze6 SST	NG, LP	72"W x 30"H	84"W x 57"H x 22"D	80,000 NG 100,000 LP	8"	8"	8"	8"
Blaze6 STT	NG, LP	72"W x 30"H	84"W x 57"H x 22"D	80,000 NG 100,000 LP	8"	8"	8"	8"
Blaze6 IOT*	NG, LP	72"W x 30"H	84"W x 57"H x 22"D	80,000 NG 100,000 LP	8"	8"	8"	8"

Model	Fuel	Viewing Area	Fireplace Dimensions	BTUs	Combustion Air Intake	Glass Cooling Intake	Class A Flue	B-Vent Heat Relief
	NG, LP	96"W x 24"H	108"W x 53"H x 24"D	110,000 NG 130,000 LP	8"	8"	8"	8"
	NG, LP	96"W x 24"H	108"W x 53"H x 24"D	110,000 NG 130,000 LP	8"	10"	8"	10"
	NG, LP	96"W x 24"H	108"W x 53"H x 24"D	110,000 NG 130,000 LP	8"	10"	8"	10"
	NG, LP	96"W x 30"H	108"W x 59"H x 24"D	110,000 NG 130,000 LP	8"	8"	8"	8"
	NG, LP	96"W x 30"H	108"W x 59"H x 24"D	110,000 NG 130,000 LP	8"	10"	8"	10"
Blaze8 IOT*	NG, LP	96"W x 30"H	108"W x 59"H x 24"D	110,000 NG 130,000 LP	8"	10"	8"	10"

Model	Fuel	Viewing Area	Fireplace Dimensions	BTUs	Combustion Air Intake	Glass Cooling Intake	Class A Flue	B-Vent Heat Relief
	NG, LP	120"W x 24"H	132"W x 56"H x 24"D	140,000 NG 160,000 LP	10"	10"	_^ 10 <u>"</u>	10"
	NG, LP	120"W x 24"H	132"W x 56"H x 24"D	140,000 NG 160,000 LP	10"	12"	10"	12"
	NG, LP	120"W x 24"H	132"W x 56"H x 24"D	140,000 NG 160,000 LP	10"	12"	10"	12"
	NG, LP	120"W x 30"H	132"W x 62"H x 24"D	140,000 NG 160,000 LP	10"	10"	10"	10"
	NG, LP	120"W x 30"H	132"W x 62"H x 24"D	140,000 NG 160,000 LP	10"	12"	10"	12"
	NG, LP	120"W x 30"H	132"W x 62"H x 24"D	140,000 NG 160,000 LP	10"	12"	10"	12"

^{*}Exterior Side Burner, Burner Tray, Glass Frames and Exterior Frames are Stainless Steel
**Dimensions are reference only. Please refer to individual fireplace manuals

Model	Fuel	Viewing Area	Fireplace Dimensions	BTUs	Combustion Air Intake	Glass Cooling Intake	Class A Flue	B-Vent Heat Relief
Blaze12 SS	NG, LP	144"W x 24"H	156"W x 57"H x 30"D	170,000 NG 190,000 LP	10"	12"	10"	12"
	NG, LP	144"W x 24"H	156"W x 57"H x 30"D	170,000 NG 190,000 LP	10"	(2) 8"	10"	12"
	NG, LP	144"W x 24"H	156"W x 57"H x 30"D	170,000 NG 190,000 LP	10"	(2) 8"	10"	12"
	NG, LP	144"W x 30"H	156"W x 63 ½"H x 30"D	170,000 NG 190,000 LP	10"	12"	10"	12"
	NG, LP	144"W x 30"H	156"W x 63 ½"H x 30"D	170,000 NG 190,000 LP	10"	(2) 8"	10"	12"
Blaze12 IOT*	NG, LP	144"W x 30"H	156"W x 63 ½"H x 30"D	170,000 NG 190,000 LP	10"	(2) 8"	10"	12"

Model	Fuel	Viewing Area	Fireplace Dimensions	BTUs	Combu Air Int		Glass Cooling Intake	Class A Flue	B-Vent Heat Relief
	NG, LP	168"W x 24"H	180"W x 59 ½"H x 30"D	200,000 NG 220,000 LP	(2)	8"	(2) 8"	12"	(2) 10"
	NG, LP	168"W x 24"H	180"W x 59 ½"H x 30"D	200,000 NG 220,000 LP	(2)	8"	(2) 10"	12"	(2) 10"
	NG, LP	168"W x 24"H	180"W x 59 ½"H x 30"D	200,000 NG 220,000 LP	(2)	8"	(2) 10"	12"	(2) 10"
	NG, LP	168"W x 30"H	180"W x 65 ½"H x 30"D	200,000 NG 220,000 LP	(2)	8"	(2) 8"	12"	(2) 10"
	NG, LP	168"W x 30"H	180"W x 65 ½"H x 30"D	200,000 NG 220,000 LP	(2)	8"	(2) 10"	12"	(2) 10"
	NG, LP	168"W x 30"H	180"W x 65 ½"H x 30"D	200,000 NG 220,000 LP	(2)	8"	(2) 10"	12"	(2) 10"

Model	Fuel	Viewing Area	Fireplace Dimensions	BTUs	Combustion Air Intake	Glass Cooling Intake	Class A Flue	B-Vent Heat Relief
Blaze16 SS	NG, LP	196"W x 24"H	204"W x 61 ½"H x 30"D	230,000 NG 250,000 LP	(2) 8"	(2) 12"	12"	(2) 12"
Blaze16 ST	NG, LP	196"W x 24"H	204"W x 61 ½"H x 30"D	230,000 NG 250,000 LP	(2) 8"	(2) 12"	12"	(2) 12"
Blaze16 IO*	NG, LP	196"W x 24"H	204"W x 61 ½"H x 30"D	230,000 NG 250,000 LP	(2) 8"	(2) 12"	12"	(2) 12"
	NG, LP	196"W x 30"H	204"W x 67 ½"H x 30"D	230,000 NG 250,000 LP	(2) 8"	(2) 12"	12"	(2) 12"
	NG, LP	196"W x 30"H	204"W x 67 ½"H x 30"D	230,000 NG 250,000 LP	(2) 8"	(2) 12"	12"	(2) 12"
Blaze16 IOT*	NG, LP	196"W x 30"H	204"W x 67 ½"H x 30"D	230,000 NG 250,000 LP	(2) 8"	(2) 12"	12"	(2) 12"


^{*}Exterior Side Burner, Burner Tray, Glass Frames and Exterior Frames are Stainless Steel
**Dimensions are reference only. Please refer to individual fireplace manuals

SAMPLE COMPONENT ILLUSTRATION

This generic component illustration of the Blaze6 Single-Sided model gives a general overview of the components that will be needed for your system to operate.

- Each installation is unique; components are customized to meet your requirements.
- Number and sizes of vents and fans may vary by size and model of installed fireplace.

Your Fireplace Advisor can provide you with additional information.





1/4" Glass Media*
Variety of Colors
Available
*Black is Standard



1/2" Glass Media
Variety of Colors
Available



River Rock
Compilation of Colors



Semi-Polished Stones
Compilation of Colors



Lava Rock




Log Sets
Multiple Styles Available




Matte Black Paint*
*Standard



Brushed Stainless Steel



Mirrored Stainless Steel



Mesh Interior
For Finishing with Own
Materials



Black Reflective Porcelain Panels



LED Lighting with Remote







KANSAS CITY STAR CASINO

Commercial Builder on the Kansas City Star Casino project, John Gratz, came to us curious about the Blaze's flame height and average glass temperature. When we told him the overall flame height, 9" - 12", and glass temperatures that don't exceed 110°, he said firmly that "he'd been told that before."

Gratz had originally gone with a competitor to craft 3 linear, see-through fireplaces that were placed between the casino floor and the Woodfire Grille restaurant and a 4th in a private dining room. The product produced by our competitors delivered flames so small they couldn't be seen from either the casino or the restaurant. The fireplaces also created so much heat, even being raised above head height, they were making guests uncomfortable.

Gratz came from Kansas to Minnesota to see for himself that our fireplaces would go above and beyond his expectations. The Blaze fireplace series was able deliver the flame and cooling temperatures his project needed. In an effort to have the section of the casino and restaurant shut down for as little time as possible, our Field Technicians directed Gratz's install team and the project was completed in 1 day. Gratz was so satisfied with the final fireplaces that he made Acucraft his go-to fireplace supplier.









ON-SITE SERVICES

In addition to offering lifetime customer and service support to our customers, we also offer On-Site Services for residential and commercial customers. Your Fireplace Advisor will assist you with arrangements and additional information.

PRE-INSTALLATION

An Acucraft Field Technician will meet with your installation team on-site to go through every step of the installation. NOTE: Recommended to have the fireplace and all of the components on-site but not yet installed.

CALIBRATION

Upon completed installation of the fireplace, an Acucraft Field Technician will verify the installation and make any adjustments to your fireplace and components for optimized performance. This includes training on operation and maintenance to the primary fireplace operator.

MAINTENANCE, REPAIR, & TROUBLESHOOTING

Although rare, if an issue does arise, Acucraft is prepared to assist. Whether you need a troubleshooting phone call or a Field Technician to go to your location, options are available for you. Where you are, we are. That's why our motto is "Together Forever."









CABELA'S

"The components used in Acucraft fireplaces are robust and the best quality you can buy. The boxes themselves are well welded, well designed, and HEAVY duty."

T.G.I. FRIDAY'S

"We are impressed and satisfied with the care and attention given by Acucraft. They answered questions quickly and provided us with additional requested information."

CALL AND SPEAK TO A FIREPLACE ADVISOR TODAY!

ACUCRAFT FIREPLACES

19672 172nd St, Big Lake, MN 55309 (888) 317-6499 • (763) 263-3156 info@acucraft.com • acucraft.com

Blaze8 See-Through The Glover House Apartments | Washington, DC